Port: Albany/Hudson River

Waterway: Catskill Creek Mile: PWD: 040

Name: R. E. Smith Fuel Co. Dock.

Location: Left bank, Catskill Creek, approximately 0.1 mile above mouth. Datum: MLW

Operator: Not operated.

Owner: R. E. Smith Fuel Co., a division of Main-Care Inc.

Address: 15 Main Street Phone: 518/943-4190
Town: Cementon State: NY County: Greene

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 6 | Latitude (decimal): 42.21

Total Berthing Space (feet): 300 | Longitude (decimal): -73.855

Remarks: Three 6-inch pipelines extend to eleven storage tanks in rear, total capacity 69,050 barrels. At the time

of survey (1995), There is insufficient water depth alongside to use the dock for delivery of petroleum

pr

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03093 Dock Code: 105 New York District

Port: Albany/Hudson River

Waterway: **Esopus Creek** Mile: PWD: 036

Name: U.S. Coast Guard Saugerties Station Dock.

Location: Left bank, Esopus Creek, Saugerties, approximately 0.4 mile above mouth of Esopus Datum: MLW

Creek.f Bridge.

Operator: U.S. Coast Guard.

Owner: United States Government.

Address: Lighthouse Drive. Phone: 914/246-7612

Town: Saugerties State: NY County: Ulster

Railway Connection: None.

Purpose: Mooring U.S. Coast Guard vessels.

Depth Alongside (feet): 11 | Latitude (decimal): 42.071389

Total Berthing Space (feet): 300 | Longitude (decimal): -73.93611

Remarks: - . .

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03079 Dock Code: 501 New York District

1

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 083

Name: A.C. Dutton Lumber Corp. Dock

Location: Left bank, Hudson River, approximately 1 mile above Mid-Hudson Bridge. Datum: MLW

Operator: Not operated.

Owner: Miron Building Products.

Address: 1 Hoffman Street Phone: 914/454-7000
Town: Hudson State: NY County: Dutchess

Railway Connection: None.

Purpose: Occasional use by U.S. Coast Guard vessels for mooring during shore leave.

Depth Alongside (feet): 32 | - | Latitude (decimal): 41.721111

Total Berthing Space (feet): 450 | - | Longitude (decimal): -73.93833

Remarks: □At time of survey (1983), plans called for selling a portion of the facility. □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03052 Dock Code: 702 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 011

Name: Affron Tank Terminals Dock.

Location: Right bank, Hudson River, New Windsor, approximately 3.0 miles below Newburgh- Datum: MLW

Beacon Bridge.

Operator: Not operated
Owner: Unknown

Address: 81 River Road Phone:

Town: New Windsor State: NY County: Orange

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 12 - 15 | 6 - 12 | 6 - 12 Latitude (decimal): 41.475833

Total Berthing Space (feet): 200 | - | - Longitude (decimal): -74.01111

Remarks: One 8- and one 6-inch pipelines extend to 5 storage tanks, total capacity 109,5 barrels. Facility

currently in use only for temporary mooring of tugs carrying barges into and out of adjacent oil depots. ity 69,4 'S' Oil Co.: Two 6-inch pipelines extend to 4 storage tanks, total capacity 66,670 barrels.ls.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03035 Dock Code: 105 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 054

Name: Agway Energy Products Wharf

Location: Right bank, Hudson River, Bethlehem, approximately 750 feet above mouth of Island Datum: MLW

Creek Diversion Channe

Operator: Agway Petroleum Corp.
Owner: Agway Petroleum Corp.

Address: Port of Albany Phone: 518/463-6648
Town: Bethlehem State: NY County: Albany

Railway Connection: None.

Purpose: Receipt of petroleum products by tanker; receipt and shipment of petroleum products by barge.

Depth Alongside (feet): 30 | Latitude (decimal): 42.609444

Total Berthing Space (feet): 260 | Longitude (decimal): -73.76278 Remarks: Three 8-inch pipelines extend from wharf to 6 storage tanks, total capacity 334,310 barrels. □els. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 025 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 022

Name: Agway Petroleum Milton Terminal.

Location: Right bank, Hudson River, Milton, approximately 2.0 miles below Blue Point. Datum: MLW

Operator: Agway Petroleum Corp.
Owner: Agway Petroleum Corp.

Address: 28 Sands Avenue Phone: 914/795-2156

Town: Milton State: NY County: Ulster

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

Depth Alongside (feet): 33 | | Latitude (decimal): 41.653056

Total Berthing Space (feet): 350 | Longitude (decimal): -73.95222

Remarks: Two 10-inch pipelines extend from wharf to eight storage tanks at remote terminal in rear, total capacity

178,600 barrels. □ arrels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03048 Dock Code: 101 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 079 Name: Amerada Hess Corp. Wharf. Left bank, Hudson River, East Greenbush, approximately 0.8 mile below turning Location: Datum: MLW basin. Operator: Amerada Hess Corp. Owner: Amerada Hess Corp. Address: River Road Phone: 518/436-0851 State: NY Town: East Greenbush County: Rensselaer Railway Connection: None. Purpose: Receipt and petroleum products by tanker and barge; occasional shipment by barge. Latitude (decimal): Depth Alongside (feet): 30 42.610833 Total Berthing Space (feet): 700 Longitude (decimal): -73.72639 Remarks: Two 10- and one 8-inch pipelines extend from wharf to 14 storage tanks, total c 875,000 barrels. Face of wharf and breasting dolphins are in line with wharf and breasting dolphins serving adjacent Ref. No. 80 on approximately 1/2 mile in rear, total capacity 170,610 barrels. Face of wharf and breasting dolphins are in line with wharf and breasting dolphins serving adjacent Ref. No. 87 on lower side. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03135 Dock Code: 032 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 020 Name: Amerada Hess Roseton Dock. Right bank, Hudson River, Roseton, approximately 1.5 miles below Danskammer Location: Datum: MLW Point. Operator: Amerada Hess Corp. Amerada Hess Corp. Owner: Address: 590 River Road Phone: 914/561-5420 State: NY Town: Roseton County: Orange Railway Connection: None. Purpose: Receipt of petroleum products by tanker and barge. Depth Alongside (feet): Latitude (decimal): 41.558889 32 Longitude (decimal): -73.98278 Total Berthing Space (feet): 400 Remarks: Four 6-inch barge and three 8-inch tanker connections from one 24-inch pipeline extending to 10

barrels.

Year of Last Survey: 1995

storage tanks in rear, total capacity 1,462,000 barrels, and 2 storage tanks at Central Hudson Gas and Electric Corp Danskammer Power Plant located approximately one mile north, total capacity 35,700

Corps of Engnrs Waterway Code: 03041 Dock Code: 101

**New York District** 

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 016 Name: American Dock Corp. Dock. Newburgh, approximately 1.4 miles below Newburgh-Beacon Bridge. Location: Datum: -Operator: American Dock Corp. Owner: American Dock Corp. Address: Phone: 916/562-7437 State: NY Town: Newburgh County: Orange Railway Connection: None Purpose: Mooring company-owned floating equipment. Depth Alongside (feet): Latitude (decimal): 41.501389 Total Berthing Space (feet): 800 Longitude (decimal): -74.00472 Remarks: □□ Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03036 Dock Code: 104 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 044 **Amos Post Athens Terminal Dock.** Name: Location: Right bank, Hudson River, Athens, approximately 500 feet below mouth of Murderers Datum: MLW Creek. James Reed Sales Co., A subsidiary of Peckham Materials Corp. Operator: Owner: KOSCO - leased to Peckham Materials Corp. Address: Foot of Union Street Phone: 518/945-1120 Athens State: NY Town: County: Greene Railway Connection: None. Purpose: Receipt of calcium chloride by barge. Depth Alongside (feet): Latitude (decimal): 42.272222 7

Total Berthing Space (feet):

Year of Last Survey: 1995

barrels. □ rels. □

300

Remarks: Five 6-inch pipelines extend from wharf to 11 storage tanks in rear, total capacity 107,140

Corps of Engnrs Waterway Code: 03097

Longitude (decimal): -73.80222

New York District

Dock Code: 205

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 041 Name: Amos Post Catskill Terminal Dock. Right bank, Hudson River, Catskill, approximately 800 feet above the mouth of Location: Datum: MLW Catskill Creek. Operator: Amos Post Co., A division of KOSCO. Owner: **KOSCO** Address: 1 Amos Post Road Phone: 518/943-3500 Ex State: NY Town: Catskill County: Greene Railway Connection: None. Purpose: Receipt of petroleum products by barge and occasional mooring of small vessels. Latitude (decimal): Depth Alongside (feet): 18 42.210556 Total Berthing Space (feet): 250 Longitude (decimal): -73.85333 Remarks: One 6-inch pipeline extends from wharf to one 59,500 barrel tank. □□□ Corps of Engnrs Waterway Code: 03093 Dock Code: 110 Year of Last Survey: 1995 **New York District** Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 046 Name: Blue Circle Cement Loading Dock. Right bank, Hudson River, Coeymans, approximately 1.2 miles above mouth of Datum: MLW Location: Coeymans Creek. Blue Circle Cement Co., Inc. Operator: Owner: Blue Circle Cement Co., Inc. U.S. Highway 9W Address: Phone: 518/756-5010 State: NY Town: Coeymans County: Albany Railway Connection: Plant trackage, having capacity for 160 cars, receives unit trains unloading into one undertrack, vibrating pit; additional 20-car track for stone aggregate; connects with Consolidated Rail Corp. Purpose: Shipment of cement; agricultural and fine limestone; receipt of gypsum rock by self-unloading vessel. Depth Alongside (feet): 32 Latitude (decimal): 42.492778 Total Berthing Space (feet): 666 Longitude (decimal): -73.78444 Remarks: One 10-inch, pneumatic pipeline extends to wharf from 2 cement storage tanks in rear, total capacity 37,600 tons; not in use at time of survey (1983 and 1995),occupying 1,000 feet of river front, has 60 acres of including capacity for storing 150,000 tons of coal.

Year of Last Survey: 1995

Corps of Engnrs Waterway Code: 03114 Dock Code: 708

**New York District** 

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 005 Name: **Bowline Point Generating Station Fuel Oil Unloading Pier.** Right bank, Hudson River, Haverstraw, Bowline Point. Datum: MLW Location: Orange and Rockland Utilities, Inc. Operator: Owner: Orange and Rockland Utilities, Inc. Address: Route 9W Phone: 914/786-8150 State: NY Town: Haverstraw County: Rockland Railway Connection: One surface track in rear, connects with Consolidated Rail Corp. The rail spur is not servicable at this time. Purpose: Receipt of fuel oil for plant consumption. Depth Alongside (feet): Latitude (decimal): 24 41.203889 Total Berthing Space (feet): 673 Longitude (decimal): -73.95611 Remarks: One 24-inch, steam-traced pipeline extends from pier to 6 steel storage tanks in rear, total capacity 810,000 barrels.s. □ □ Corps of Engnrs Waterway Code: 03010 Dock Code: 100 New York District Year of Last Survey: 1995 Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 075 Name: **Bray Terminals Wharf.** Left bank, Hudson River, Rensselaer, approximately 1,000 feet below turning basin. Location: Datum: MLW Bray Terminals, Inc. and Getty Refining and Marketing Co. Operator: Owner: Bray Terminals, Inc. Address: 50 Riverside Avenue Phone: 518/462-5052 Rensselaer State: NY Town: County: Rensselaer Railway Connection: None. Purpose: Receipt and occasional shipment of petroleum products by barge. Depth Alongside (feet): Latitude (decimal): 42.620833 23 Longitude (decimal): -73.75556 Total Berthing Space (feet): 250 Remarks: Bray Terminals, Inc.: Four 10- and two 8-inch pipelines extend from wharf and join with additional pipelines located along riverbank in rear which serve 10 storage tanks, total capacity 381,500 barrels. Getty R Co.: One 10-inch pipeline extends to 7 storage tanks, total capacity 264,330 barrels.s.

Year of Last Survey: 1995

Corps of Engnrs Waterway Code: 03135 Dock Code: 055

**New York District** 

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 073 Name: Chevron U.S.A. Troy Terminal Dock. Left bank, Hudson River, approximately 700 feet above Troy-Menands Bridge. Location: Datum: MLW Operator: Chevron U.S.A.. King Service, Inc. Owner: Address: 7 Water Street Phone: 518/272-2040 State: NY Town: Troy County: Rensselaer Railway Connection: One surface track in rear of plant connects with Consolidated Rail Corp. Purpose: Receipt of asphalt by barge. Depth Alongside (feet): Latitude (decimal): 42.703333 14 ı Total Berthing Space (feet): 220 Longitude (decimal): -73.70083 ı Remarks: One 10-inch pipeline extends from wharf to 8 storage tanks located below Troy-Menends Bridge, total capacity 110,000 barrels. Wharf is connected to Ref No. 72 by timber catwalk. Dolphins are also used for moori adjacent Ref. No. 72. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03141 Dock Code: 010 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 056 Name: Cibro Petroleum Barge Dock. Right bank, Hudson River, Albany, approximately 3,100 feet above mouth of Island Datum: MLW Location: Creek Diversion Channel Operator: Not operated. Owner: Albany Port District Commission. Address: Port of Albany Phone: 518/462-4433 State: NY Town: Albany County: Albany Railway Connection: Surface track serving tank carloading rack at refinery in rear have capacity for unit trains of 84 tank cars; connect with Albany Port Railroad Corp. which connects with Delaware and Hudson Railroad, and C Purpose: Not used. Latitude (decimal): Depth Alongside (feet): 28 42.617222 Total Berthing Space (feet): 210 Longitude (decimal): -73.76056 Remarks: Two 8-inch petroleum pipelines extend from wharf to two storage tanks at rear, total capacity 130,000 barrels. In addition, one 12-inch crude, one 10-inch pe pipelines extend to storage tanks described

under Ref 2-inch steam line serves wharf. Oil containment boom described under Ref. No. 59 is

Corps of Engnrs Waterway Code: 03130 Dock Code: 035

**New York District** 

available..

Year of Last Survey: 1995

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 055

Name: Cibro Petroleum Ship Dock.

Right bank, Hudson River, Albany, approximately 2,900 feet above mouth of Island Location: Datum: MLW

Creek Diversion Channel

Operator: Not operated.

Owner: Albany Port District Commission.

Address: Port of Albany Phone: 518/462-4433 State: NY Town: Albany County: Albany

Railway Connection: Surface track serving tank carloading rack at refinery in rear have capacity for unit trains of

84 tank cars; connect with Albany Port Railroad Corp. which connects with Delaware and

Hudson Railroad, and C

Purpose: Not used.

Depth Alongside (feet): 32 - 28 I Latitude (decimal): Longitude (decimal): -73.76167 Total Berthing Space (feet): 1,000 |

Remarks: Two 10-inch pipelines extend from wharf to 7 asphalt storage tanks, total capacity 193,140 barrels; one 16-, one 14-, one 12-, two 10-, and one 8-inch pi extend from wharf to 3 crude oil storage tanks, total capa 450,000 barrels, and 9 petroleum storage tanks, total capacity 955,000 barrels. One 2-inch steam line serves wharf. Berthing of tankers having a draft greater than 28 feet is limited to the lower 700 feet of wharf.18-inch, oil spill containment boom is available for use here and for adjacent Ref. No. 60..

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 035 **New York District** 

Port: Albany/Hudson River

PWD: 050 Waterway: Hudson River Mile:

Name: Citao North Dock.

Location: Right bank, Hudson River, Bethlehem, approximately 3,400 feet above Van Wies Datum: MLW

Point.

Operator: Not operated.

Owner: Citgo Petroleum Corp.

495 River Road Phone: 518/465-6517 Address: Town: Bethlehem State: NY County: Albany

Railway Connection: None.

Purpose: Not used.

Latitude (decimal): Depth Alongside (feet): 20 42 589444 Total Berthing Space (feet): Longitude (decimal): -73.75972 150 Remarks: Pipelines removed.ines extend from wharf and connect with pipelines described under Ref. No. 53. In

addition, one 6-inch ballast line extends to wharf from tank described under Ref. No. 53.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 015 **New York District** 

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 049 Name: Citgo South Dock. Location: Right bank, Hudson River, Bethlehem, approximately 2,800 feet above Van Wies Datum: MLW Point. Operator: Citao Petroleum Corp. Owner: Citgo Petroleum Corp. Address: 495 River Road Plant Phone: 518/465-6517 State: NY Town: Bethlehem County: Albany Railway Connection: None. Purpose: Receipt of petroleum products. Depth Alongside (feet): 21 Latitude (decimal): 42.587778 Total Berthing Space (feet): 250 Longitude (decimal): -73.75917 Remarks: Three 14-, one 12-, and five 10-inch pipelines, with fifteen 8-inch connections extend from wharf to 20 storage tanks, total capacity 1,400,000 barrels. Tanks are located along both sides of State Highway 144. ballast water line extends to wharf from one 16,700 barrel storage tank at rear rear. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 015 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 071 Name: Clemente-Latham Concrete Corp. Left bank, Hudson River, Troy, approximately 1,800 feet below Troy-Congress Street Location: Datum: MLW Operator: Clemente-Latham Concrete Corp, Freedman Iron and Scrap Co., and Norlite Corp. Owner: Clemente-Latham Concrete Corp. 40 River Street Address: Phone: 518/270-1767 Town: Troy County: Rensselaer Railway Connection: One surface track in rear of plant at one time connected with tracks of Boston and Maine Purpose: Shipment of light-weight concrete aggregate and scrap metal; occasional receipt of sand and stone by barge. Depth Alongside (feet): Latitude (decimal): 10 42.724444 Total Berthing Space (feet): Longitude (decimal): -73.69583 250 Remarks: Three ready-mix concrete plants located at rear. Freedman Iron and Scrap Co. occasionally uses the facility to load scrap iron a □ Norlite Corp. occasionally uses the facility to load light-weight aggregate onto barges.

Year of Last Survey: 1995

Corps of Engnrs Waterway Code: 03141 Dock Code: 040

**New York District** 

Waterway:Hudson RiverMile:PWD:010Name:Coastal Oil DockLocation:Right bank, Hudson River, New Windsor, approximately 3.3 miles below Newburgh-<br/>Beacon Bridge.Datum:MLWOperator:Coastal Oil New York Inc.Owner:Coastal Oil New York, Inc.Address:Phone:914/562-0567

Town: New Windsor State: NY County: Orange

Railway Connection: None.

Port:

Purpose: Receipt of petroleum products by barge.

Albany/Hudson River

Depth Alongside (feet): 31 | Latitude (decimal): 41.472222

Total Berthing Space (feet): 400 | Longitude (decimal): -74.01

Remarks: One 16-, two 8-, and one 6-inch pipelines extend to 8 storage tanks at terminal in rear, total capacity

476,190 barrels. □ □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03035 Dock Code: 101 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 090

Name: Consolidated Edison Co., Indian Point Station Dock.

Location: Left bank, Hudson River, Buchanan, Indian Point. Datum: MLW

Operator: Consolidated Edison Co. of New York Inc.
Owner: Consolidated Edison Co. of New York Inc.

Address: Bleakley Avenue Phone: 914/736-8212
Town: Buchanan State: NY County: Westchester

Railway Connection: None.

Purpose: Receipt of fuel oil for plant consumption by barge; occasional mooring of personnel barge.

Depth Alongside (feet): 26 | | Latitude (decimal): 41.271111

Total Berthing Space (feet): 248 | Longitude (decimal): -73.95361

Remarks: Two 8- and two 6-inch pipelines with 8-inch connections extend from wharf to 2 storage tanks, total

capacity 119,050 barrels. Helicopter pad located on lower end of wharf. Nuclear power plant located

in rear. r

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03019 Dock Code: 202 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 019

Name: Consolidated Iron and Metal Dock.

Location: Right bank, Hudson River, Newburgh, approximately 0.8 mile below Newburgh- Datum: MLW

Beacon Bridge.

Operator: Consolidated Iron and Metal Co. Inc. Owner: Consolidated Iron and Metal Co. Inc.

Address: Foot of Washington Street Phone: 914/561/4342
Town: Newburgh State: NY County: Orange

Railway Connection: None.

Purpose: Shipment of scrap metal by barge.

Depth Alongside (feet): 10 | Latitude (decimal): 41.5125

Total Berthing Space (feet): 130 | Longitude (decimal): -74.00694

Remarks: □Two 8-inch pipelines extend to 4 storage tanks at terminal in rear, total capacity 73,000 barrels.□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03036 Dock Code: 119 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 088

Name: **Downey Oil Co. Pier.** 

Location: Left bank, Hudson River, Cold Spring, approximately 1 mile below Little Stony Point. Datum: MLW

Operator: Not operated.
Owner: Downey Oil Co.

Address: Route 9D Phone: 914/265-3663
Town: Cold Spring State: NY County: Putnam

Railway Connection: None.

Purpose: Not used.

 Depth Alongside (feet):
 9
 | 2 - 9
 | 2 - 9
 Latitude (decimal):
 41.414722

 Total Berthing Space (feet):
 100
 | | Longitude (decimal):
 -73.95972

Remarks: One 8-inch pipeline extends to 3 storage tanks, total capacity 10,710 barrels. At time of surveys (1983

and 1995) pipeline was blanked. □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03030 Dock Code: 015 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 096

Name: Frank's Fuel Service Wharf.

Location: Left bank, Hudson River, North Tarrytown, approximately 3,800 feet above Tappan Datum: MLW

Zee Bridge.

Operator: Frank's Fuel Wholesale, Inc.
Owner: Frank's Fuel Wholesale, Inc.

Address: 11 River Street Phone: 914/631-2659
Town: North Tarrytown State: NY County: Westchester

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

Depth Alongside (feet): 7 | Latitude (decimal): 41.079722

Total Berthing Space (feet): 300 | Longitude (decimal): -73.86889

Remarks: One 6-inch pipeline extends from platform to 3 storage tanks, total capacity 22,300 barrels. Barges

breast against upper end of adjacent wharf (Ref. No. 97).Ref. No. 106).

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03001 Dock Code: 031 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 033

Name: Garraghan Dock

Location: Right bank, Hudson River, Kingston, Lower end of Kingston Point. Datum: MLW

Operator: Not operated.

Owner: Heratagenergy Corp.

Address: Sawkill Road and Route 209 Phone: 914/336-2000

Town: Kingston State: NY County: Ulster

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 18 | - | - Latitude (decimal): 41.927778

Total Berthing Space (feet): 150 | - | - Longitude (decimal): -73.96167

Remarks: Two 6-inch pipelines extend from face to 2 storage tanks in rear. These two tanks are scheduled for

demolition in 1996, at which time the facility will be deactivated. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03070 Dock Code: 004 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 095

Name: General Motors Corp., Oil Barge Dock.

Location: Left bank, Hudson River, North Tarrytown, approximately 4,000 feet above Tappan Datum: MLW

Zee Bridge.

Operator: Not operated.

Owner: General Motors Corp.

Address: 199 Beekman Avenue Phone: 914/524-1684
Town: North Tarrytown State: NY County: Westchester

Railway Connection: Trackage serving plant in rear connects with Consolidated Rail Corp.

Purpose: Not used.

Depth Alongside (feet): 9 | Latitude (decimal): 41.080556

Total Berthing Space (feet): 200 | Longitude (decimal): -73.87056

Remarks: The pipeline has been disconnected from the fuel storage tanks. □total capacity 20,000 barrels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03001 Dock Code: 021 New York District

Port: Albany/Hudson River

Waterway: **Hudson River** Mile: PWD: 091

Name: Georgia Pacific Corp. Unloading Dock.

Location: Left bank, Hudson River, Buchanan, approximately 1 mile below Indian Point. Datum: MLW

Operator: Georgia Pacific Corp., Gypsum Division.

Owner: Georgia Pacific Corp.

Address: 415 Braodway Phone: 914/737-8600
Town: Buchanan State: NY County: Westchester

Railway Connection: None.

Purpose: Receipt of gypsum rock by self-unloading vessel.

Depth Alongside (feet): 38 | | Latitude (decimal): 41.265278

Total Berthing Space (feet): 410 | Longitude (decimal): -73.96167

Remarks: Open storage area at rear has capacity for approximately 100,000 tons of gypsum rock. □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03019 Dock Code: 300 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 034

Name: Heratagenergy Dock.

Location: Right bank, Hudson River, Kingston, Upper end of Kingston Point. Datum: MLW

Operator: Kingston Point Terminal Corp.

Owner: Heratagenergy Corp.

Address: Sawkill Road and Route 209 Phone: 914/336-2000

Town: Kingston State: NY County: Ulster

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

Depth Alongside (feet): 13 | Latitude (decimal): 41.928889

Total Berthing Space (feet): 250 | Longitude (decimal): -73.96167

Remarks: Three 6-inch pipelines extend from wharf to 13 storage tanks in rear, total capacity 89,650

barrels. □els. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03070 Dock Code: 002 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 039

Name: Independent Cement Plant Dock.

Location: Right bank, Hudson River, Cementon, approximately 0.6 mile above Silver Point. Datum: MLW

Operator: Independent Cement, a division of St. Lawrence Cement Inc.

Owner: Independent Cement, a division of St. Lawrence Cement Inc.

Address: Route 9W Phone: 518/943-4040
Town: Cementon State: NY County: Greene

Railway Connection: Plant trackage connects with Consolidated Rail Corp.

Purpose: Shipment of cement by barge.

Depth Alongside (feet): 32 | Latitude (decimal): 42.157222

Total Berthing Space (feet): 430 | Longitude (decimal): -73.89667

Remarks: Cement is pneumatically conveyed via 6,500-foot long pipeline from plant to six 750-ton storage bins at

rear of face at a rate of 150 tons/hour. □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03093 Dock Code: 120 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 081

Name: International Petroleum Traders Dock.

Location: Left bank, Hudson River, East Greenbush, approximately 2 miles below turning basin. Datum: MLW

Operator: International Petroleum Traders.

Owner: King Service Inc.

Address: Foot of Main Street Phone: 518/436-5408
Town: East Greenbush State: NY County: Rensselaer

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 34 | - | - Latitude (decimal): 42.593056

Total Berthing Space (feet): 180 | - | - Longitude (decimal): -73.75806

Remarks: Three 10-, one 8-, and one 6-inch pipelines extend from wharf to 7 storage tanks, total capacity

381,000 barrels.rels. At time of survey (1983), Amoco Oil Co. planned to cease operations at wharf.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03135 Dock Code: 020 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 068

Name: John Wojtowicz, Inc. Lower Dock.

Location: Right bank, Hudson River, Green Island, approximately 0.3 miles below Troy-Cohoes Datum: MLW

Bridge (State Highway

Operator: John Wojtowicz, Inc.
Owner: John Wojtowicz, Inc.

Address: 56 Plant Road Phone: 518/371-0288
Town: Cohoes State: NY County: Albany

Railway Connection: None.

Purpose: Receipt of liquid fertilizer.

Depth Alongside (feet): 13 | Latitude (decimal): 42.767778

Total Berthing Space (feet): 150 | Longitude (decimal): -73.68556

Remarks: One 6-inch pipeline extends from dock to two steel storage tanks at rear, total capacity approximately

19,000 barrels. ☐ At time of survey (1983) facility was under construction.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03145 Dock Code: 010 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 069

Name: John Wojtowicz, Inc. Upper Dock.

Location: Right bank, Hudson River, Cohoes, approximately 0.1 mile below Troy-Cohoes Datum:

Bridge (State Highway 470).

Operator: John Wojtowicz, Inc.
Owner: John Wojtowicz, Inc.

Address: 56 Plant Road Phone: 518/371-0288

Town: Cohoes State: NY County: Albany

Railway Connection: None.

Purpose: Receipt of liquid fertilizer.

Depth Alongside (feet): - | Latitude (decimal): 42.770556

Total Berthing Space (feet): - | Longitude (decimal): -73.68389

Remarks: Steel storage tank at rear, capacity approximately 9,500 barrels. □ at rear, total capacity

approximately 36,500 barrels.□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03145 Dock Code: 010 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 082

Name: JOLANA Enterprises Dock.

Location: Left bank, Hudson River, Hudson, approximately 3.5 miles above Rip Van Winkle Datum: MLW

Bridge.

Operator: Not operated.

Owner: JOLANA Enterprises, Inc.

Address: 2470 Albany Street Phone: 518/393-5820
Town: Hudson State: NY County: Columbia

Railway Connection: None.

Purpose: Not used...

Depth Alongside (feet): 10 | - | - Latitude (decimal): 42.255833

Total Berthing Space (feet): 250 | - | - Longitude (decimal): -73.79944

Remarks: Three 6-inch pipelines extend from wharf to 10 storage tanks, total capacity 95,300 barrels. 🗆 ls.

Floating oil spill containment boom is available.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03098 Dock Code: 410 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 004

Name: Keahon Brothers Dock.

Location: Right bank, Hudson River, Haverstraw, approximately 3,700 feet below Bowline Point. Datum: MLW

Operator: Not operated. Owner: Unknown.

Address: West Street Phone:

Town: Haverstraw State: NY County: Rockland

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 8 | Latitude (decimal): 41.193889

Total Berthing Space (feet): 200 | Longitude (decimal): -73.95861

Remarks: Plant site is abandoned. at rear with open storage area for 2,000 tons of sand and 2,000 tons of

crushed stone.  $\square$ .  $\square$ 

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03010 Dock Code: 121 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 092

Name: Keefe Dock.

Location: Left bank, Hudson River, Verplanck, approximately 2,300 feet above Verplanck Point. Datum: MLW

Operator: Verplank Fuel Corp.

Owner: Ferry Slip, Inc.

Address: 6th Street Phone: 914/737-7677
Town: Verplanck State: NY County: Westchester

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 12 | Latitude (decimal): 41.258333

Total Berthing Space (feet): 200 | Longitude (decimal): -73.96528

Remarks: Two 6-inch pipelines extend from center dolphins to 6 steel storage tanks at rear, total capacity 38,100

barrels. □Is. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03016 Dock Code: 051 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 072 Name: King Service South Troy Plant Dock. Left bank, Hudson River, approximately 750 feet above Troy-Menands Bridge. Location: Datum: MLW King Service, Inc. Operator: Owner: King Service, Inc. Address: Foot of Main Street Phone: 518/274-4200 State: NY Town: Troy County: Rensselaer Railway Connection: One surface track in rear connects with Consolidated Rail Corp. Purpose: Receipt of petroleum products by barge. Depth Alongside (feet): Latitude (decimal): 42.703056 15 Total Berthing Space (feet): 220 Longitude (decimal): -73.70083 Ι Remarks: Two 8- and one 6-inch pipelines extend from wharf to 7 storage tanks, total cap 118,000 barrels. Wharf is connected to Ref. No. 73 by timber catwalk. One 2-in steam line serves wharf, and floating, oil spill con available. Dolphins are also used for mooring barges at adjacent Ref. No. 73. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03141 Dock Code: 055 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 067 Name: Kleen Resources Dock. Location: Right bank, Hudson River, Green Island, approximately 1,400 feet above lower end Datum: MLW of Center Island. Operator: Not operated. Owner: Kleen Resources. Address: 3872 North Road Phone: 518/768-2316 State: NY Town: Green Island County: Albany Railway Connection: None. Purpose: Not used. Depth Alongside (feet): Latitude (decimal): 42.735833 13 Longitude (decimal): -73.69167 Total Berthing Space (feet): 200 Remarks: Two steel truss booms extending from shore provide support for hoses and fend barge off bank when

unloading.

Year of Last Survey: 1995

unloading o steel truss booms extending from shore support pipelines and fend barge off bank when

Corps of Engnrs Waterway Code: 03142 Dock Code: 015

**New York District** 

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 038 Name: Lehigh Portland Cement Co., Alsen Dock. Right bank, Hudson River, Cementon, approximately 0.6 mile below Silver Point. Location: Datum: MLW Lehigh Portland Cement Co. Operator: Owner: Lehigh Portland Cement Co. Address: Imperial Way Phone: 215/366-4600 State: NY Town: Cementon County: Greene Railway Connection: None. Purpose: Occasional receipt of bauxite by self-unloading vessel. Depth Alongside (feet): Latitude (decimal): 42.143611 17 Total Berthing Space (feet): 281 Longitude (decimal): -73.90694 Remarks: Cement is loaded directly from trucks to barges through hose connections at dockside. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03085 Dock Code: 615 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 037 Name: Lehigh Portland Cement Co., Cementon Dock. Location: Right bank, Hudson River, Cementon, approximately 0.8 mile below Silver Point. Datum: MLW Operator: Lehigh Portland Cement Co. Lehigh Portland Cement Co. Owner: Address: Imperial Way Phone: 215/366-4600 Town: Cementon State: NY County: Greene Railway Connection: Plant trackage connects with Consolidated Rail Corp. Purpose: Lower end: Shipment of cement by barge. Upper end: Receipt of gypsum rock by self-unloading vessel. Latitude (decimal): Depth Alongside (feet): 14 42.140833 Longitude (decimal): -73.90889 Total Berthing Space (feet): 375 Ι Remarks: Two cement storage silos are located at plant in rear, total capacity 5,400 tons, along with the rock

quarry. Open storage area for gypsum rock and crushing plant is located at rear of upper end..

Corps of Engnrs Waterway Code: 03085 Dock Code: 605

New York District

Year of Last Survey: 1995

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 084 Name: Love/Effron Dock. Location: Left bank, Hudson River, Poughkeepsie, approximately 1 mile below Mid-Hudson Datum: MLW Bridge. Operator: Love/Effron Fuel Oil Co. Owner: Love/Effron Fuel Oil Co. Address: 154 Garden Street Phone: 914/452-2600 State: NY Town: Poughkeepsie County: Dutchess Railway Connection: None. Purpose: Receipt of petroleum products by barge. Latitude (decimal): Depth Alongside (feet): 13 41.690278 Total Berthing Space (feet): 460 Longitude (decimal): -73.93833 Remarks: One 10-, one 8-, and one 6-inch pipelines extend from upper end of wharf to 11 storage tanks, total active capacity 60,000 barrels. Pollution control boat mo at timber float located 350 feet above wharf.m lower tanks, total capacity 30,000 barrels. At time of survey (1983) facility was for sale and lines were blanked. Amerada Hess Corp.: Four 6-inch pipelines extend from lower end of wharf to 17 storage tanks, total capacibarrels. At time of survey terminal was not in operation. Pollution control boat moors at timber float located 350 feet above wharf. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03052 Dock Code: 692 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 009 Name: **Lovett Plant Fuel Dock.** Location: Right bank, Hudson River, Tompkins Cove, approximately 1.1 miles above Stony Datum: MLW Point. Operator: Orange and Rockland Utilities, Inc. Owner: Orange and Rockland Utilities, Inc. Address: Route 9W Phone: 914/786-8150 State: NY Town: **Tompkins Cove** County: Rockland Railway Connection: Surface track in plant connects with Consolidated Rail Corp. Purpose: Receipt of fuel oil for plant consumption. Depth Alongside (feet): 40 Latitude (decimal): 41.256667 Longitude (decimal): -73.97778 Total Berthing Space (feet): 800 Remarks: Two 8- and two 6-inch pipeline connections to one 12-inch pipeline extending to 3 steel storage tanks at rear, total capacity of 213,850 barrels. □□ Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03015 Dock Code: 101 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 089 Name: Meenan Oil Co. Peekskill Dock. Left bank, Hudson River, Peekskill, at north end of Peekskill Bay. Datum: MLW Location: Meenan Peekskill, division of Meenan Oil Co., Inc. Operator: Owner: Meenan Peekskill, division of Meenan Oil Co., Inc. Address: 475 Commerce Street Phone: 914/737-0015 State: NY Town: Peekskill County: Westchester Railway Connection: None. Purpose: Receipt of petroleum products by barge. Depth Alongside (feet): Latitude (decimal): 41.295556 14 Total Berthing Space (feet): 150 Longitude (decimal): -73.94639 Remarks: One 10-inch pipeline extend from wharf to 6 storage tanks located on opposite side of railroad tracks, total capacity 110,000 barrels. □s. □ Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03020 Dock Code: 015 **New York District** Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 063 Name: Mobil Oil Corp., Asphalt Plant Wharf. Location: Right bank, Hudson River, Albany, approximately 0.8 mile below Parker Dunn Datum: MLW Memorial Bridge. Mobil Oil Corp. Operator: Owner: Mobil Oil Corp. Address: 50 Church Street Phone: 518/462-4336 State: NY Town: Albany County: Albany Railway Connection: Plant trackage in rear serves tank-car loading racks and company warehouses; connects with Delaware and Hudson Railroad's Kenwood Storage Yard at rear of property. Purpose: Receipt of petroleum products by barge. Depth Alongside (feet): 10 - 12 I Latitude (decimal): Longitude (decimal): -73.75444 Total Berthing Space (feet): 150 Remarks: Pne 10-inch pipeline extends from wharf to a 38,000-barrel tank. □ anks described under Ref. No. 67. In addition, one 6-inch steam line and one 6-inch ballast line extend to wharf from plant in rear.

Year of Last Survey: 1995

Dock Code: 094

**New York District** 

Corps of Engnrs Waterway Code: 03130

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 064 Name: Mobil Oil Corp., Marine Lift Dock. Right bank, Hudson River, Albany, approximately 4,000 feet below Parker Dunn Location: Datum: MLW Memorial Bridge. Operator: Mobil Oil Corp. Owner: Mobil Oil Corp. Address: 50 Church Street Phone: 518/462-4336 State: NY Town: Albany County: Albany Railway Connection: None. Purpose: Launching pollution control boat. Latitude (decimal): Depth Alongside (feet): 42.632778 Total Berthing Space (feet): Longitude (decimal): -73.75417 Remarks: Floating oil spill containment boom stored at wharf for use at Ref. Nos. 62 thru 64.. 69. Corps of Engnrs Waterway Code: 03130 Dock Code: 096 Year of Last Survey: 1995 **New York District** Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 062 Name: Mobil Oil Corp., Ship Dock. Right bank, Hudson River, Albany, approximately 1.1 miles below Parker Dunn Location: Datum: MLW Memorial Bridge. Operator: Mobil Oil Corp. Owner: Mobil Oil Corp. Address: 50 Church Street Phone: 518/462-4336 State: NY Town: Albany County: Albany Railway Connection: Plant trackage in rear serves tank-car loading racks and company warehouses; connects with Delaware and Hudson Railroad's Kenwood Storage Yard at rear of property. Purpose: Receipt of petroleum products by tanker and barge. Latitude (decimal): Depth Alongside (feet): 29 42.629444 Total Berthing Space (feet): 200 Longitude (decimal): -73.75444 Remarks: One 16-, four 12-, and one 10-inch pipelines extend from wharf to 18 storage tanks, total capacity 1,500,000 barrels.ls. An additional 46 storage tanks at terminal, total capacity 263,820 barrels, were

Year of Last Survey: 1995

inactive (1983).

Corps of Engnrs Waterway Code: 03130 Dock Code: 090

New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 014

Name: Mobil Oil Dock.

Location: Right bank, Hudson River, New Windsor, approximately 2.3 miles below Newburgh-Datum: MLW

Beacon Bridge.

Operator: Mobil Oil Corp. Owner: Mobil Oil Corp.

Address: 20 River Road Phone: 914/562-1164

State: NY Town: **New Windsor** County: Orange

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

Depth Alongside (feet): 27 Latitude (decimal): 41.486944 Total Berthing Space (feet): 230 Longitude (decimal): -74.00694

Remarks: One 12-inch, three 10-inch, one 8-inch, and one 6-inch pipelines extend to 9 storage tanks, total

capacity 350,560 barrels. Steel tower with hose-handling winch on wharf was not in use at time of

survey (1987 an

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03035 Dock Code: 119 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 080

Name: National Gypsum Co. East Greenbush Plant

Left bank, Hudson River, East Greenbush, approximately 1.2 miles below turning Location: Datum: MLW

Operator: Gold Bond Building Products, Division of National Gypsum Co. Owner: Gold Bond Building Products, Division of National Gypsum Co.

Address: Riverside Avenue Extension Phone: 518/449-7354 State: NY Town: East Greenbush County: Rensselaer

Railway Connection: Surface track serving plant at rear connects with Consolidated Rail Corp.

Purpose: Receipt of gypsum rock by self-unloading vessel.

Depth Alongside (feet): Latitude (decimal): 42.608889 33 Longitude (decimal): -73.76111 725 Total Berthing Space (feet):

Remarks: Open storage area at rear has capacity for 3,000,000 tons of gypsum rock. Face of wharf and

breasting dolphins are in line with wharf and breasting dolphins serving adjacent Ref. No. 79 on upper

side.e.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03135 Dock Code: 025 New York District

Port: Albany/Hudson River
Waterway: Hudson River Mile: PWD: 086

Name: New York Trap Rock Corp Clinton Point Plant Dock.

Location: Left bank, Hudson River, Clinton Point, approximately 2.6 miles above Wappinger Datum: MLW

Creek.

Operator: New York Trap Rock Corp., a subsidiary of Lone Star Industries, Inc. Owner: New York Trap Rock Corp., a subsidiary of Lone Star Industries, Inc.

Address: Sheafe Road Phone: 914/297-3764
Town: Clinton Point State: NY County: Dutchess

Railway Connection: None.

Purpose: Shipment of dolomite by ship and barge.

Depth Alongside (feet): 10 - 11 | Latitude (decimal): 41.619444

Total Berthing Space (feet): 2,025 | Longitude (decimal): -73.94917

Remarks: Stone quarry and processing plant located in rear, served by conveyor belt system extending to 8 silos, each with capacity of 3,000 tons of dolomite. Emp barges are moored along lower portion of wharf; filled at of wharf along concrete retaining wall; loaded barges are assembled for towing along upper

portion of wharf..

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03046 Dock Code: 102 New York District

Port: Albany/Hudson River

Waterway: **Hudson River** Mile: PWD: 098

Name: New York Waterways Dock.

Location: Tarrytown, approximately 3,100 feet above Tappan Zee Bridge. Datum: MLW

Operator: New York Waterway Inc.
Owner: Westchester Industries, Inc.

Address: Pershing Road Phone: 201/902-8700
Town: Ossining State: NY County: Westchester

Railway Connection: None

Purpose: Board and discharge cruise passengers.

Depth Alongside (feet): 10 | Latitude (decimal): 41.0775

Total Berthing Space (feet): 80 | Longitude (decimal): -73.86944

Remarks: □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03001 Dock Code: 063 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 018 Name: Newburgh Landing. Right bank, Hudson River, Newburgh, approximately 1.2 miles below Newburgh-Location: Datum: MLW Beacon Bridge. Operator: City of Newburgh. City of Newburgh. Owner: Address: Front Street Phone: State: NY Town: Newburgh County: Orange Railway Connection: None. Purpose: Mooring excursion-boats and other vessels. Latitude (decimal): Depth Alongside (feet): 10 41.506944 Total Berthing Space (feet): 65 Longitude (decimal): -74.005 Remarks: □At time of survey, dolphin had been damaged.□□ Corps of Engnrs Waterway Code: 03036 Dock Code: 113 Year of Last Survey: 1995 **New York District** Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 052 Name: Niagara Mohawk Power Corp. Albany Steam Generating Station Center Location: Right bank, Hudson River, Bethlehem, approximately 4,200 feet above Van Wies Datum: MLW Point. Operator: Not operated. Owner: Niagara Mohawk Power Corp. Address: State Highway 144 Phone: 518/436-5077 State: NY Town: Bethlehem County: Albany Railway Connection: One 300-foot, surface track west of State Highway 144 serves tank car loading rack; connects with Consolidated Rail Corp (not in use at time of survey, 1995). Purpose: Not used. Latitude (decimal): 42.593333 Depth Alongside (feet): 32 230 Longitude (decimal): -73.76083 Total Berthing Space (feet): Remarks: One 12-, two 10-, four 8- and three 6-inch pipelines extend from wharf to 13 storage tanks, total

Year of Last Survey: 1995

capacity 838,000 barrels. □Is. □

Dock Code: 023

New York District

Corps of Engnrs Waterway Code: 03130

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 051

Name: Niagara Mohawk Power Corp. Albany Steam Generating Station Lower D

Location: Right bank, Hudson River, Bethlehem, approximately 3,700 feet above Van Wies Datum: MLW

Point.

Operator: Not operated.

Owner: Niagara Mohawk Power Corp.

Address: State Highway 144 Phone: 518/436-5077

Town: Bethlehem State: NY County: Albany

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 42.591111

Total Berthing Space (feet): 125 | Longitude (decimal): -73.76

Remarks: One 6-inch, ballast pipeline extends to wharf from storage tank and ballast water pond in rear. □ear. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 023 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 053

Name: Niagara Mohawk Power Corp. Albany Steam Generating Station Main Do

Location: Right bank, Hudson River, Bethlehem, approximately 1 mile above Van Wies Point. Datum: MLW

Operator: Niagara Mohawk Power Corp.
Owner: Niagara Mohawk Power Corp.

Address: State Highway 144 Phone: 518/436-5077
Town: Bethlehem State: NY County: Albany
Railway Connection: One surface track serving plant in rear connects with Consolidated Rail Corp.

Purpose: Receipt of fuel oil for plant consumption.

Depth Alongside (feet): 33 | - | - Latitude (decimal): 42.595556

Total Berthing Space (feet): 780 | - | - Longitude (decimal): -73.76139

Remarks: Six shore moorings with electric winches at rear. One 20-inch pipeline extends from two 10-inch

pipeline connections to 3 storage tanks, total capacity 671,660 barrels. In addition, one 4-inch steam

line serves

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 023 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 007

Name: Panco Oil Co. Wharf.

Location: Right bank, Hudson River, North shore of Grassy Point. Datum: MLW

Operator: Panco Petroleum Co.
Owner: Panco Petroleum Co.

Address: 23 Grassy Point Road Phone: 914/429-9120
Town: Grassy Point State: NY County: Rockland

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): 12 | Latitude (decimal): 41.225

Total Berthing Space (feet): 300 | Longitude (decimal): -73.96556

Remarks: One 12- and two 6-inch pipelines extend from wharf to 11 steel storage tanks at rear, total capacity

96,000 barrels. □ □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03013 Dock Code: 201 New York District

Port: Albany/Hudson River

Waterway: **Hudson River** Mile: PWD: 094

Name: Paradise Heating Oil Terminal Dock.

Location: Left bank, Hudson River, Ossining, approximately 2,700 feet below Tellers Point. Datum: MLW

Operator: Not operated.
Owner: Paradise Oil Co. Inc.

Address: Quimby Street Phone: 914/945-0528
Town: Ossining State: NY County: Westchester

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 13 | Latitude (decimal): 41.158889

Total Berthing Space (feet): 200 | Longitude (decimal): -73.8725

Remarks: Three 6-inch submerged pipelines extend from wharf to 7 steel storage tanks in rear, total capacity

83,680 barrels. □. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03006 Dock Code: 010 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 017

Name: Parrott Dockbuilders, Inc. Dock.

Location: Right bank, Hudson River, Newburgh, approximately 1.3 miles below Newburgh- Datum: MLW

Beacon Bridge.

Operator: Parrott Dockbuilders, Inc.
Owner: Parrottt Dockbuilders Inc.

Address: 26 Front Street. Phone: 914/562-3333

Town: Newburgh State: NY County: Orange

Railway Connection: None.

Purpose: Mooring company-owned floating equipment.

 Depth Alongside (feet):
 14
 | 14 - 0
 | 14 - 0
 Latitude (decimal):
 41.504167

 Total Berthing Space (feet):
 120
 | | Longitude (decimal):
 -74.00472

Remarks: -□□□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03036 Dock Code: 105 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 042

Name: Peckham Dock.

Location: Right bank, Hudson River, Athens, approximately 0.3 mile below mouth of Murderers Datum: MLW

Creek.

Operator: Peckham Materials Corp.
Owner: Peckham Materials Corp.

Address: Foot of Unoin Street Phone: 518/945-1120
Town: Athens State: NY County: Greene

Railway Connection: None.

Purpose: Receipt of asphalt by barge.

Depth Alongside (feet): 15 | Latitude (decimal): 42.268889

Total Berthing Space (feet): 200 | Longitude (decimal): -73.80361

Remarks: One 8-inch pipeline extends from wharf to 5 asphalt storage tanks in rear, total capacity 83,300

barrels. □ rels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03097 Dock Code: 210 New York District

Port: Albany/Hudson River
Waterway: Hudson River Mile: PWD: 001

Name: Petersen Dock.

Location: Right bank, Hudson River; Upper Nyack, approximately 2.0 miles above Tappan Zee Datum: MLW

Bridge.

Operator: Julius Petersen, Inc.
Owner: Julius Petersen, Inc.
Address: 1 Van Houten Street

Address: 1 Van Houten Street Phone: 914/358-2100
Town: Nyack State: NY County: Rockland

Railway Connection: None.

Purpose: Mooring vessels for repairs.

Depth Alongside (feet): 6 | 2 | 2 Latitude (decimal): 41.0175

Total Berthing Space (feet): 80 | 240 | - Longitude (decimal): -73.91444

Remarks: Basin on lower side has 16 slips for berthing small craft..  $\Box$ 

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03002 Dock Code: 250 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 076

Name: Petroleum Fuel and Terminal Co., Rensselaer Marine Terminal.

Location: Left bank, Hudson River, Rensselaer, approximately 0.2 mile below turning basin. Datum: MLW

Operator: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
Owner: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.

Address: 54 Riverside Avenue Phone: 518/465-1557
Town: Rensselaer State: NY County: Rensselaer

Railway Connection: None.

Purpose: Receipt and shipment of petroleum products by tanker and barge.

Depth Alongside (feet): 30 | Latitude (decimal): 42.618611

Total Berthing Space (feet): 375 | Longitude (decimal): -73.75583

Remarks: Six 8-inch pipelines extend from wharf to 21 steel storage tanks at rear, total capacity 667,000 barrels.

At time of survey (1983) wharf, which replaces 2 barge docks at rear, was under construction and is

descr upon completion.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03135 Dock Code: 052 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 043

Name: Phelps Terminal. ☐ State Highway 385

Location: Right bank, Hudson River, Athens, approximately 0.2 mile below mouth of Murderers Datum: MLW

Creek.

Operator: Raymond E. Phelps. Owner: Raymond E. Phelps.

Address: Phone:

Town: Athens State: NY County: Greene

Railway Connection: None.

Purpose: Mooring marine construction equipment.

Depth Alongside (feet): 0 - 10 | Latitude (decimal): 42.270833

Total Berthing Space (feet): | Longitude (decimal): -73.80361

Remarks: -□□□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03097 Dock Code: 201 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 087

Name: Point Street Terminal Dock.

Location: Left bank, Hudson River, New Hamburg, approximately 1,800 feet above Wappinger Datum: MLW

Creek.

Operator: Point Street Terminal Corp.
Owner: Point Street Terminal Corp.

Address: 16 West Main Street Phone: 914/831-0830
Town: New Hamburg State: NY County: Dutchess

Railway Connection: None.

Purpose: Occasional receipt of petroleum products by barge.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.586944

Total Berthing Space (feet): 230 | Longitude (decimal): -73.95111

Remarks: One 6-inch pipeline extends from wharf to 4 storage tanks, total capacity, 38,540 barrels. □ rels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03044 Dock Code: 001 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 074 Name: Port of Albany Rensselaer Wharf. Location: Left bank, Hudson River, Rensselaer, above turning basin. Datum: MLW Albany Port District Commission. Operator: Albany Port District Commission. Owner: Address: Administration Bldg. Phone: 518/463-8763 State: NY Town: Rensselaer County: Rensselaer Albany Port Railroad Corp.: trackage in rear serves open storage area and warehouses; Railway Connection: connects with Consolidated Rail Corp. survey Purpose: Receipt of general cargo and bulk cargo. Depth Alongside (feet): Latitude (decimal): 32 42.626667 Total Berthing Space (feet): 1,205 Longitude (decimal): -73.7525 Remarks: Twenty acres of open storage area.and 3 warehouses for private storage located in rear; combined floor area of warehouses is approximately 43,000 square feet. Ashland Chemical Co.: Receipt of caustic soda throug extending to one 500,000-gallon storage tank. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03135 Dock Code: 062 New York District Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 061 Name: Port of Albany, Berth No. 1. Right bank, Hudson River, Albany, approximately 7,700 feet above mouth of Island Location: Datum: MLW Creek Diversion Channel Operator: Albany Port District Commission. Owner: Albany Port District Commission. Address: Phone: Town: State: NY County: Albany Albany Railway Connection: Albany Port Railroad Corp.: Two platform-level tracks between transit sheds join trackage extending from 375-car holding yard; connect with Consolidated Rail Corp., and Delaware and Hudson Railroad Purpose: Receipt and shipment of general cargo in foreign and domestic trades. Depth Alongside (feet): 32 Latitude (decimal): 42 628056 Total Berthing Space (feet): 600 Longitude (decimal): -73.75556 Remarks: Port of Albany Storage Warehouses 'A' and 'B' are located in rear of transit sh (S.W. Ref. No. 1). The nearby Delaware and Hudson Railroad's 1,100-car-capacit Kenwood Storage Yard connects with tracks serving Po Albany Terminal. Berths 9-1 (Ref. Nos. 61-66) are in line and contiguous, providing a total of 3,770 feet of continuous berthing space. for automobiles described under Ref. No. 65. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 074 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 060 Name: Port of Albany, Berth No. 2. ☐ Administration Building Right bank, Hudson River, Albany, approximately 7,200 feet above mouth of Island Location: Datum: MLW Creek Diversion Channel Operator: Albany Port District Commission. Owner: Albany Port District Commission. Address: Phone: State: NY Town: Albany County: Albany Railway Connection: Albany Port Railroad Corp.: One curving surface track extending from 375-car-yard in rear; connects with Consolidated Rail Corp., and Delaware and Hydson Railroad. Purpose: Receipt and shipment of general cargo in foreign and domestic trades. Latitude (decimal): Depth Alongside (feet): 32 42.626389 Longitude (decimal): -73.75611 Total Berthing Space (feet): 300 Remarks: □One 16-, and one 12-acre open storage areas for automobiles at rear.□□ Corps of Engnrs Waterway Code: 03130 Dock Code: 072 **New York District** Year of Last Survey: 1995 Port: Albany/Hudson River Waterway: Hudson River PWD: 059 Mile: Name: Port of Albany, Berth No. 4 and 3. Location: Right bank, Hudson River, Albany, approximately 6,500 feet above mouth of Island Datum: MLW Creek Diversion Channel Albany Port District Commission. Operator: Owner: Albany Port District Commission. Address: Administration Bldg. Phone: 518/463-8763 State: NY Town: Albany County: Albany Railway Connection: Albany Port Railroad Corp.: Two platform-level tracks along rear of transit shed joins trackage serving 375-car holding yard; connect with Consolidated Rail Corp. and Delaware and Hudson Railroad yard Purpose: Receipt and shipment of general cargo in foreign and domestic trades. Depth Alongside (feet): 32 Latitude (decimal): 42.623889 Total Berthing Space (feet): 850 Longitude (decimal): -73.7575 Remarks: Trucks have access to apron, interior of transit shed, and to platform along rear of transit shed. 🗆 ed. 🗆 Corps of Engnrs Waterway Code: 03130 Year of Last Survey: 1995 Dock Code: 070 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 058 Name: Port of Albany, Berths Nos. 6 and 5. Right bank, Hudson River, Albany, approximately 5,800 feet above mouth of Island Location: Datum: MLW Creek Diversion Channel Operator: Albany Port District Commission and PM Agricultural Products Co. Owner: Albany Port District Commission. Address: Administration Bldg. Phone: 518/463-8763 State: NY Town: Albany County: Albany Railway Connection: Albany Port Railroad Corp.: Two connecting surface tracks and two platform-level tracks along rear of transit sheds join trackage serving 375-car holding yard Purpose: Receipt and shipment of general cargo; receipt of molasses, salt, and wood pulp. Latitude (decimal): Depth Alongside (feet): 32 42.621111 Total Berthing Space (feet): 750 Longitude (decimal): -73.75806 Remarks: PM Agricultural Products Inc.: One 12-inch pipeline extends from Berth No. 6 to 5 molasses storage tanks, total capacity 7,500,000 gallons.llied Chemical Corp.: One 6-inch pipeline extends from wharf to one 1.0 fertilizer storage tank at plant in rear. Approximately 35 acres of paved open storage area located in rear of transit sheds. One privately operated warehouse located in rear of Transit Shed No. 4. Trucks have acceinteriors of transit sheds, and to platform along rear of transit sheds. Transit sheds are separated by a firewall. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 060 **New York District** Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 057 Name: Port of Albany, Berths Nos. 9, 8, and 7. Right bank, Hudson River, Albany, approximately 5,000 feet above mouth of Island Location: Datum: MLW Creek Diversion Channel Albany Port District Commission and Cargill, Inc. Operator: Albany Port District Commission. Owner: Address: Administration Bldg. Phone: 518/463-8763 Town: State: NY Albany County: Albany Railway Connection: Albany Port Railroad Corp.: Track serving west end of grain elevator, adjacent feed and flour mills, warehouse, 120-car holding yard in rear, and additional trackage serving Port of Albany Terminal, Purpose: Shipment of grain, bagged flour and scrap metal; receipt of molasses by tanker and occasional shipment by barge. Depth Alongside (feet): Latitude (decimal): 42.619444 32 Longitude (decimal): -73.75889 Total Berthing Space (feet): 1,270 | Remarks: Berths Nos. 9 thru 1 (Ref. Nos. 57-61) are in line and contiguous, providing continuous berthing of 3,770 feet. Grain elevator in rear has total storage capacity for 10,500,000 bushels; consisting of 102 round b interstices, and 8 additional bins. Cargill Inc. has two 10-inch pipelines extending from Berth No. 7 to 4 storage tanks at rear, total capacity 4,500,000 gallons of molasses. Seaboard Allied Milling Corp., Divisiooperates flour mill westerly of grain elevator. Corps of Engnrs Waterway Code: 03130 Dock Code: 050 **New York District** Year of Last Survey: 1995

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 045 Name: Powell & Minnock Dock. Right bank, Hudson River, Coeymans, approximately 0.5 mile above mouth of Datum: MLW Location: Coeymans Creek. Operator: Not operated. Owner: Powell & Minnock Brick Works, Inc. Phone: 518/756-2164 Address: State Highway 144 State: NY Town: Coeymans County: Albany Railway Connection: None. Purpose: Not used. Depth Alongside (feet): Latitude (decimal): 42.484722 11 Total Berthing Space (feet): 200 Longitude (decimal): -73.7875 Remarks: -□□□ Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03114 Dock Code: 705 **New York District** Port: Albany/Hudson River Waterway: Hudson River PWD: 023 Mile: Name: **Riverboat Tours Dock** Location: Right bank, Hudson River, Highland, approximately 0.7 mile above Mid-Hudson Datum: -Bridge. Riverboat Tours Inc. Operator: Owner: Riverboat Tours Inc. 310 Mill Street Address: Phone: 914/473-5211 State: NY Town: Highland County: Ulster Railway Connection: None Purpose: Dock for tour boat. Passengers boarded and discharged at another location at Poughkeepsie, N.Y. Depth Alongside (feet): Latitude (decimal): 41.713889 Longitude (decimal): -73.94861 Total Berthing Space (feet): 120

Corps of Engnrs Waterway Code: 03050

Year of Last Survey: 1995

Remarks: □□

Dock Code: 800

**New York District** 

Port: Albany/Hudson River

Waterway: **Hudson River** Mile: PWD: 024

Name: Riverstar Dock.

Location: Right bank, Hudson River, Highland, approximately 0.8 mile above Mid-Hudson Datum: MLW

Bridge.

Operator: Riverstar Inc.
Owner: Riverstar Inc.

Address: 42 River Road Phone: 914/691-2616

Town: Highland State: NY County: Ulster

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

Depth Alongside (feet): 20 | Latitude (decimal): 41.715833

Total Berthing Space (feet): 250 | Longitude (decimal): -73.94778

Remarks: Four 6-inch pipelines extend to 11 storage tanks in rear, total capacity 64,500 barrels. □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03050 Dock Code: 801 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 003

Name: Rockland Fuel Oil Co. Dock.

Location: Right bank, Hudson River, Haverstraw, approximately 4,000 feet below Bowline Point. Datum: MLW

Operator: Not operated

Owner: Rockland Fuel Oil Co., Inc., Division of A. Tarricone, Inc.

Address: Lower West Street Phone: 914/666-5800
Town: Haverstraw State: NY County: Rockland

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 8 | Latitude (decimal): 41.193056

Total Berthing Space (feet): 150 | Longitude (decimal): -73.95833

Remarks: Three 6-inch and one four-inch pipelines extend to 14 steel storage tanks in rear, total capacity 58,280

barrels. Wharf is not currently in use and the pip  $\square \text{ls.} \square$ 

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03010 Dock Code: 131 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 021 Name: Roseton Generating Station Dock. Right bank, Hudson River, Roseton, approximately 0.6 mile below Danskammer Location: Datum: MLW Point. Operator: Central Hudson Gas & Electric Corp. Owner: Central Hudson Gas & Electric Corp., Niagara Mohawk Power Corp., and Consolidated Edison Co. of New York Address: 594 River Road Phone: 914/563-4930 State: NY Roseton Town: County: Orange Railway Connection: One surface track serves power plant; connects with Consolidated Rail Corp. Purpose: Receipt of fuel oil for plant consumption. Latitude (decimal): Depth Alongside (feet): 35 41.5675 Total Berthing Space (feet): 325 Longitude (decimal): -73.97083 Τ Remarks: Two 10-inch hose connections to one 24-inch pipeline extending to 6 storage tanks in rear, total capacity 1,100,000 barrels. □els. □ Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03041 Dock Code: 111 New York District Port: Albany/Hudson River Waterway: Hudson River PWD: 078 Mile: Name: Scarano Boatbuilding. Location: Approximately 0.7 mile below turning basin. Datum: Scarano Boatbuilding Operator: Owner: Scarano Boatbuilding Address: Port of Albany Phone: 518/463-3401 Town: State: NY Rensselaer County: Rensselaer Railway Connection: Purpose: Depth Alongside (feet): Latitude (decimal): 42.6125 Longitude (decimal): -73.75833 Total Berthing Space (feet):

Remarks: This facility is scheduled for construction and operation after 1995.

Year of Last Survey: 1995

Corps of Engnrs Waterway Code: 03135 Dock Code: 037

**New York District** 

Port: Albany/Hudson River

Waterway: **Hudson River** Mile: PWD: 048

Name: Sears Barge Wharf.

Location: Right bank, Hudson River, Bethlehem, approximately 2,200 feet above Van Wies Datum: MLW

Point.

Operator: Not operated.

Owner: Sears Petroleum and Transport Corp.

Address: 1914 Black River Blvd. Phone: 518/436-7942

Town: Bethlehem State: NY County: Albany

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 14 | Latitude (decimal): 42.587222

Total Berthing Space (feet): 400 | Longitude (decimal): -73.75889

Remarks: Pipelines have been removed... ons at wharf connect with 16- and 12-inch pipelines described under

Ref. No. 51.□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 011 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 047

Name: Sears Tanker Wharf.

Location: Right bank, Hudson River, Bethlehem, approximately 2,200 feet above Van Wies Datum: MLW

Point.

Operator: Sears Petroleum and Transport Corp.
Owner: Sears Petroleum and Transport Corp.

Address: 1914 Black River Blvd. Phone: 518/436-7942

Town: Bethlehem State: NY County: Albany

Railway Connection: None.

Purpose: Receipt of petroleum products by tanker.

Depth Alongside (feet): 31 | Latitude (decimal): 42.586667

Total Berthing Space (feet): 191 | Longitude (decimal): -73.75833

Remarks: Ten 8-inch pipelines extend from wharf and connect with one 16- and four 12-inch pipelines extending

to 12 storage tanks in rear, total capacity 2,000,000 barrels.barrels.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 010 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 065

Name: Snow Dock Broadway and Madison Avenue

Location: Right bank, Hudson River, Albany, approximately 0.1 mile below the Parker Dunn Datum: MLW

Memorial Bridge.

Operator: Dutch Apple River Cruises.

Owner: City of Albany.

Address: Phone:

Town: Albany State: NY County: Albany

Railway Connection: None.

Purpose: Mooring of tugs, barges, excursion boats, and other small vessels.

Depth Alongside (feet): 0 - 10 | - | Latitude (decimal): 42.625556

Total Berthing Space (feet): 380 | - | Longitude (decimal): -73.75

Remarks: -□□□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03130 Dock Code: 100 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 085

Name: Sousa Poughkeepsie Terminal Dock.

Location: Left bank, Hudson River, Poughkeepsie, approximately 1.2 miles below Mid-Hudson Datum: MLW

Bridge.

Operator: Not operated

Owner: J.R. Sousa & Sons, Inc.

Address: Foot of Prospect Street Phone: 914/452-4330
Town: Poughkeepsie State: NY County: Dutchess

Railway Connection: None.

Purpose: Not used

Depth Alongside (feet): 18 | | Latitude (decimal): 41.688333

Total Berthing Space (feet): 150 | Longitude (decimal): -73.93833

Remarks: Two 6- and one 4-inch pipelines extend to 10 storage tanks, total capacity 23,810 barrels. □rels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03052 Dock Code: 690 New York District

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 015 Name: Steel Style Pier No. 1 and 2. Right bank, Hudson River, Newburgh, approximately 2.2 miles below Newburgh-Location: Datum: MLW Beacon Bridge. Operator: Steel Style, Inc. Owner: Steel Style, Inc. Address: 401 South Water Street Phone: 914/562-0860 State: NY Town: Newburgh County: Orange Railway Connection: Three surface tracks serving shipyard are connected with tracks of Consolidated Rail Corp. Purpose: Mooring barges and shallow draft vessels for repair. 41.489722 Latitude (decimal): Depth Alongside (feet): 10 | 6-10 | 5-10 Total Berthing Space (feet): 60 600 Longitude (decimal): -74.00722 Remarks: There is one ship side launchway located north of Pier No. 1 and three located of Pier No. 2. A marine repair and ship building plant is located in rear for construction and repair of inland and ocean-going bar and floating drydocks. Two 10-ton, electric, traveling bridge cranes serve fab building and open vard at rear, combined lift 20 tons., traveling bridge cranes serve fabrication building and open yard at rear, combine Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03036 Dock Code: 101 New York District Port: Albany/Hudson River Waterway: Hudson River PWD: 066 Mile: Name: Stratus Petroleum Corp. Dock. Right bank, Hudson River, Green Island, approximately 1,000 feet above lower end Location: Datum: MLW of Center Island. Operator: Stratus Petroleum Corp. Owner: Stratus Petroleum Corp. Address: 1 Osgood Avenue Phone: 518/273-1640 State: NY Town: Green Island County: Albany Railway Connection: None. Purpose: Receipt of petroleum products by barge. Depth Alongside (feet): Latitude (decimal): 42.734444 8

Total Berthing Space (feet):

Year of Last Survey: 1995

Remarks: □□□

270

Corps of Engnrs Waterway Code: 03142 Dock Code: 020

Longitude (decimal): -73.695

**New York District** 

Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 012 Name: Sun Company Dock. Right bank, Hudson River, New Windsor, approximately 2.9 miles below Newburgh-Location: Datum: MLW Beacon Bridge. Operator: Sun Company, Inc. Owner: Sun Company, Inc. Address: 49 River Road Phone: 914/561-5521 State: NY Town: **New Windsor** County: Orange Railway Connection: None. Purpose: Receipt of petroleum products by barge. Latitude (decimal): Depth Alongside (feet): 17 41.479722 Total Berthing Space (feet): 150 Longitude (decimal): -74.00972 Remarks: Three 8-inch pipelines extend to 10 storage tanks, total capacity 179,230 barre Floating oil spill containment boom is available, and a small lift a for pollu control boat is located at the center of approach, spill containment boom available, and small lift for pollution control boat located at center of approach.ach. Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03035 Dock Code: 109 **New York District** Port: Albany/Hudson River Waterway: Hudson River Mile: PWD: 077 Name: Sun Refining and Marketing Co. Rensselaer Wharf. Left bank, Hudson River, Rensselaer, approximately 0.4 mile below turning basin. Location: Datum: MLW Sun Refining and Marketing Co., Gulf Oil Products, and Sprague Energy Co. Operator: Owner: Sun Refining and Marketing Co. Address: 58 Riverside Avenue Phone: 518/449-7138 Rensselaer State: NY Town: County: Rensselaer Railway Connection: None. Purpose: Receipt of petroleum products by tanker and barge. Latitude (decimal): Depth Alongside (feet): 33 42.616667 Total Berthing Space (feet): Longitude (decimal): -73.75694 520 Remarks: Sun Oil: One 14-, one 10-, and three 8-inch pipelines extend from wharf to 14 storage tanks, total capacity 630,000 barrels. These same lines also lead to 19 Gulf Oil storage tanks, total capacity 805.870 barrel Use of the 14-inch line and the 8-inch kerosene line plus another 6-inch oil line leading

Year of Last Survey: 1995

planned to cease operatio

to 7 storage tanks in rear, total capacity 940,000 barrels. .ulf Oil Products Co., and Amoco Oil Co.

Corps of Engnrs Waterway Code: 03135 Dock Code: 040

**New York District** 

Port: Albany/Hudson River

Waterway: **Hudson River** Mile: PWD: 035

Name: Tilcon New York Corp. Dock.

Location: Right bank, Hudson River, Kingston, Approximately 2.3 miles below Kingston- Datum: MLW

Rhinecliff Bridge.

Operator: Not operated.

Owner: Tilcon New York Inc.

Address: North Street Phone: 914/638-1300

Town: Kingston State: NY County: Ulster

Railway Connection: None

Purpose: Not used.

Depth Alongside (feet): 20 | - | 18 Latitude (decimal): 41.947778

Total Berthing Space (feet): 150 | - | 100 Longitude (decimal): -73.96333

Remarks: -□□□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03070 Dock Code: 008 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 002

Name: Tilcon New York Haverstraw Dock. Riverside Avenue

Location: Right bank, Hudson River, Haverstraw, approximately 7,400 feet below Bowline Point. Datum: MLW

Operator: Tilcon New York, Inc.
Owner: Tilcon New York, Inc.

Address: P.O. Box 362 Phone: 914/638-1300 Town: Haverstraw State: NY County: Rockland

Railway Connection: None.

Purpose: Shipment of crushed rock by barge.

Depth Alongside (feet): 14 | Latitude (decimal): 41.185

Total Berthing Space (feet): 580 | Longitude (decimal): -73.95194

Remarks: Crusher and screening plant is located about 1/4 mile in rear; seven concrete storage silos for graded

crushed rock are located at rear, total capacity approximately 7,000 tons. Light and loaded barges can

be moo buoys off shore.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03010 Dock Code: 111 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 008

Name: Tilcon New York, Tompkins Cove Dock.

Location: Right bank, Hudson River, Tompkins Cove, approximately 4,000 feet above Stony Datum: MLW

Point.

Operator: Tilcon New York, Inc.
Owner: Tilcon New York, Inc.

Address: River 9W Phone: 914/638-1300
Town: Tompkins Cove State: NY County: Rockland

Railway Connection: None.

Purpose: Shipment of sand and crushed rock by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 41.252222

Total Berthing Space (feet): 700 | Longitude (decimal): -73.97778

Remarks: Rock quarry is located 600 feet in rear. Four bins at rear have a total capacity of 8,000 tons. ...

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03015 Dock Code: 201 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 070

Name: U.S. Army Corps of Engineers Wharf.

Location: Left bank, Hudson River, Troy, at Hudson River Lock. Datum: MLW

Operator: U.S. Army Corps of Engineers.
Owner: United States Government.

Address: P.O. Box 209, Lansingburgh Station Phone: 518/273-0870
Town: Troy State: NY County: Rensselaer

Railway Connection: None.

Purpose: Mooring U.S. Government vessels.

Depth Alongside (feet): 11 | 14 | Latitude (decimal): 42.751944

Total Berthing Space (feet): 230 | - | Longitude (decimal): -73.68528

Remarks: U.S. Army Corps of Engineers area office located at rear. □□□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03143 Dock Code: 907 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 006

Name: United States Gypsum Company Dock.

Location: Right bank, Hudson River, approximately 1,000 feet below Grassy Point. Datum: MLW

Operator: United States Gypsum Co.
Owner: United States Gypsum Co.

Address: East Main Street Phone: 914/786-2712
Town: Grassy Point State: NY County: Rockland

Railway Connection: None.

Purpose: Receipt of gypsum rock by self unloading vessel.

Depth Alongside (feet): 31 | Latitude (decimal): 41.218889

Total Berthing Space (feet): 500 | Longitude (decimal): -73.9625

Remarks: Plant at rear has covered storage for 60,000 tons and open storage for approximately 30,000 tons of

gypsum rock.sum rock.□sum rock.□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03013 Dock Code: 101 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 093

Name: Verplanck Dock.

Location: Left bank, Hudson River, Verplanck, approximately 1,900 feet above Verplanck Point. Datum: MLW

Operator: Half Moon Cruises Inc.
Owner: King Marina, Inc.

Address: Phone: 914/736-0500
Town: Verplanck State: NY County: Westchester

Railway Connection: None.

Purpose: Boarding and discharging cruise passengers.

Depth Alongside (feet): 13 | Latitude (decimal): 41.256944

Total Berthing Space (feet): 200 | Longitude (decimal): -73.96556

Remarks: □One 8- and one 6-inch pipelines extend from wharf to 4 storage tanks on Seventh Street, total

capacity 30,950 barrels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03016 Dock Code: 031 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 013

Name: Warex Terminals Dock.

Location: Right bank, Hudson River, New Windsor, approximately 2.4 miles below Newburgh- Datum: MLW

Beacon Bridge.

Operator: Warex Terminals Corporation.
Owner: Warex Terminals Corporation.

Address: 53 River Road Phone: 914/561-4000
Town: New Windsor State: NY County: Orange

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

barrels..□.□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03035 Dock Code: 115 New York District

Port: Albany/Hudson River

Waterway: Hudson River Mile: PWD: 097

Name: Westchester Industries Dock.

Location: Left bank, Hudson River, Tarrytown, approximately 3,300 feet above Tappan Zee Datum: MLW

Bridge.

Operator: County Asphalt, Inc.

Owner: Westchester Industries Inc.

Address: West Main Street Phone: 914/631-4300
Town: Tarrytown State: NY County: Westchester

Railway Connection: None.

Purpose: Receipt of sand and gravel by barge.

 Depth Alongside (feet):
 10
 |
 Latitude (decimal):
 41.078889

 Total Berthing Space (feet):
 800
 |
 |
 Longitude (decimal):
 -73.86944

Remarks: Asphalt plants located at rear. Unlimited open storage area for sand and gravel. □rea for sand and

gravel.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03001 Dock Code: 061 New York District

Port: Albany/Hudson River

Waterway: Rondout Creek Mile: PWD: 032

Name: Ballard Plant Dock.

Location: Left bank, Rondout Creek, Kingston, approximately 4,000 feet below U.S. Highway Datum: MLW

9W bridge.

Operator: Kingston Oil Supply Co.

Owner: KOSCO.

Address: East Strand Street Phone: 914/331-0770

Town: Kingston State: NY County: Ulster

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 11 | Latitude (decimal): 41.9225

Total Berthing Space (feet): 250 | Longitude (decimal): -73.97194

Remarks: Three 6-inch pipelines extend from wharf to 4 storage tanks in rear, total capacity 42,140

barrels. □ rels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 050 New York District

Port: Albany/Hudson River

Waterway: Rondout Creek Mile: PWD: 026

Name: Callanan Industries, Port Ewen Plant Dock.

Location: Right bank, Rondout Creek, Esopus, approximately 0.5 mile above Consolidated Rail Datum: MLW

Corp. bridge.

Operator: Callanan Industries, Inc. Owner: Callanan Industries, Inc.

Address: New Salem Road Phone: 518/767-2222

Town: Esopus State: NY County: Ulster

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 | Latitude (decimal): 41.905833

Total Berthing Space (feet): 600 | Longitude (decimal): -74.00389

Remarks: Open storage area riverside of tunnel has unlimited capacity.  $\square$  80,000 tons of crushed stone.  $\square$ 

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 115 New York District

Port: Albany/Hudson River

Waterway: Rondout Creek Mile: PWD: 030

Name: Kingston Oil Gas Plant

Location: Left bank, Rondout Creek, Kingston, approximately 3,500 feet below U.S. Highway Datum: MLW

9W bridge.

Operator: Kingston Oil Supply Co.

Owner: KOSCO.

Address: East Strand Phone: 914/331-0770

Town: Kingston State: NY County: Ulster

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 11 | Latitude (decimal): 41.918056

Total Berthing Space (feet): 150 | Longitude (decimal): -73.97528

Remarks: Three 6-inch pipelines extend from wharf to 4 storage tanks in rear, total capacity 33,330 barrels.

Tanks are currently not in use. □□

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 070 New York District

Port: Albany/Hudson River

Waterway: Rondout Creek Mile: PWD: 027

Name: Kingston Recycling Depot Dock.

Location: Left bank, Rondout Creek, Kingston, approximately 0.5 mile above Consolidated Rail Datum: MLW

Corp. bridge.

Operator: Kingston Recycling, Inc.
Owner: Kingston Recycling, Inc.

Address: 642 Abeel Street. Phone: 914/331-3312

Town: Kingston State: NY County: Ulster

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 9 | Latitude (decimal): 41.907778

Total Berthing Space (feet): 200 | Longitude (decimal): -74.00389

Remarks: Scrap metal storage yard in rear.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 112 New York District

Port: Albany/Hudson River

Waterway: Rondout Creek Mile: PWD: 025

Name: KOSCO Port Ewen Dock.

Location: Right bank, Rondout Creek, Port Ewen, approximately 1,400 feet below U.S. Datum: MLW

Highway 9W Bridge.

Operator: Kingston Oil Supply, A division of KOSCO

Owner: KOSCO Corp.

Address: North Broadway Phone: 518/331-0770

Town: Port Ewen State: NY County: Ulster

Railway Connection: None.

Purpose: Receipt of petroleum products by barge.

Depth Alongside (feet): 9 | Latitude (decimal): 41.918333

Total Berthing Space (feet): 150 | Longitude (decimal): -73.97889

Remarks: Three 6-inch pipelines extend from wharf to 5 storage tanks in rear, total capacity 88,360

barrels. □ rels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 035 New York District

Port: Albany/Hudson River

Waterway: Rondout Creek Mile: PWD: 031

Name: Phalen-Cahill Dock.

Location: Left bank, Rondout Creek, Kingston, approximately 3,700 feet below U.S. Highway Datum: MLW

9W bridge.

Operator: Kingston Oil Supply Co.

Owner: KOSCO.

Address: East Strand Street Phone: 914/331-0770

Town: Kingston State: NY County: Ulster

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 11 | Latitude (decimal): 41.922222

Total Berthing Space (feet): 400 | Longitude (decimal): -73.97389

Remarks: One 8-inch pipeline extends from wharf to 1 storage tank in rear with capacity of 22,220

barrels. □ arrels. □

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 060 New York District

Port: Albany/Hudson River Waterway: Rondout Creek Mile: PWD: 029 Name: Rondout Landing Marine Terminal-Site D. Directly under Highway 9W bridge. Datum: MLW Location: Hudson River Cruises Inc. through lease from the City of Kingston. Operator: Owner: State of New York. Address: One Rondout Landing Phone: 914/384-6968 Town: Kingston State: NY County: Ulster Railway Connection: None Purpose: Receive and discharge tour boat passengers. Depth Alongside (feet): 9 Latitude (decimal): 41.918056 Total Berthing Space (feet): 120 Longitude (decimal): -73.98194 Remarks: □□ Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 03069 Dock Code: 099 New York District Port: Albany/Hudson River Waterway: Rondout Creek Mile: PWD: 028 Name: Thomas J. Feeney Enterprises Wharf. Location: Left bank, Rondout Creek, Kingston, approximately 0.4 mile above Consolidated Rail Datum: MLW Corp. bridge. Thomas J. Feeney Enterprises, Inc. Operator: Owner: Thomas J. Feeney Enterprises, Inc. Address: 614 Abeel Street Phone: 914/331-5610 State: NY County: Ulster Town: Kingston Railway Connection: None. Purpose: Mooring floating drydocks and mooring vessels for repair. 7 - 20 Depth Alongside (feet): Latitude (decimal): 41.908333 Longitude (decimal): -74.00361 Total Berthing Space (feet): 290 Remarks: One 1,200 ton floating drydock, 240 feet in length, is moored along bulkhead. A second drydock with 2,400 ton capacity is currently under construction (1995). Dredged basin with 20 feet of water at MLW

Year of Last Survey: 1995

well as repair of commercial floating equipment.

for operat is located off bulkhead. Plant at rear is used for construction of new barges and tugboats, as

New York District

Corps of Engnrs Waterway Code: 03069 Dock Code: 110